



**Veriton** 2000 Mini



Product views	1. Power button	6.	Power connector (DC-in)	10.	Two USB 3.2 Gen 1 Type-A ports
Floudet views	2. USB 3.2 Gen 2 Type-C <sup>™</sup> port	7.	USB 3.2 Gen 2 Type-C <sup>™</sup> port (DisplayPort	11.	31 1
	3. USB 3.2 Gen 2 Type-A port		over USB-C)	12.	
	4. USB 2.0 port Type-A port	8.	HDMI® port	13.	
	5. Universal audio jack	9.	DisplayPort™		External arrestna
Operating system <sup>1, 2</sup>	No OS				
CPU and chipset <sup>1</sup>	13th Gen Intel® Core™ i5-1335U processor, Intel® Iris® X® Graphics				
Memory <sup>1, 3, 4</sup>	8GB Up to 32 GB of Dual-channel DDR4 3200 MHz				
Storage <sup>1, 5</sup>	Hard disk drive: 512 GB M.2 2280 PCI-e Gen4 SSD				
Audio	Integrated high-definition sound				
Communication	WLAN: 802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth® 5				
Expansion slot(s)	M.2 slot (for SSD): 2 M.2 slot (for WLAN): 1				
Commercial selected options	USB 3.2 Gen 2 Type-C port supporting data transfe VESA mounting kit	r, USB ch	arger and video out		
Dimensions	178 (W) x 178 (D) x 30 (H) mm (7.01 x 7.01 x 1.18 inc	:hes)			
Power supply and adapter	Adapter: 3-pin 65 W AC adapter				
System compliance	EPEAT® System Silver (Spain)				
	RoHS				
	ENERGY STAR®				
Options and	VESA mount kit (100mm*100mm) (optional)				
accessories	USB keyboard and mouse				
Certification	EPEAT Silver				
	BSMI				
	VCCI				
	CE				
	CB				

- Specifications vary depending on model.

- Specifications vary operating of minder.

  64-bit software is required to enjoy the advantages of 64-bit processing.

  A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.

  Memory speed may vary, depending on the CPU, chipset or memory fitted.

  1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region. As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of FTFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2021. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

With the configuration of the configuration of