MAXHUB

Product Specification

Product Type：Commercial LCD Display

Product Model：L55VEQ

Version：V1.0

Technical Specifications

1.Product Features



- 2 downward-facing USB ports
- Aluminum alloy brushed bezel
- Ultra-thin
- Flat foot mat
- Tempered glass panel
- Multi-period auto power on/off
- Time-shift volume

2.Display Parameters

Size	55 inch
Resolution	3840(H)×2160(V)
Max. Display Area	1209.6(H)×680.4(V)mm
Pixel Pitch	315(H) ×315(V)um
Aspect Ratio	16:9
Response Time	8ms
Refresh Rate	60Hz
Color Depth	1.07G (8bits + FRC)
Color Gamut NTSC(Typ)	72%
Contrast Ratio	1200:1
Viewing Angle	178°/178°(H/V)
Backlight Type	ELED
Brightness (Typ)	500cd/m2
Lifetime	≥30000 小时

3.Operating System

OS Version	Android 13
RAM	4G
ROM	32G
CPU	Quad-core A55
GPU	Mali-G52MP2
Network	LAN、2.4G&5G WIFI

4.Speaker

Channel	2.0

Power Output	2×10W

5.Electrical Parameters

Power Input	100-240V~50/60Hz
Max. Power Consumption	200W
Standby Power	≤0.5W

6.I/O Interfaces

USB 2.0	2	System Upgrade / Data Transfer
RJ45 IN	1	10/100Mbps

7.Dimensions & Weight

Unit Dimensions (W×H×D)	1880*725*35mm
Package Dimensions (W×H×D)	1926*852*185mm
Net Weight	56Kg
Gross Weight	62Kg


8.Standard Accessories

Power Cord	×1
Key	×1
Remote Control	×1
AA Battery	×2

9.Environmental Conditions

Operating Temp	0℃~40℃
Operating Humidity	10%~80%RH
Storage Temp	-10℃~55℃
Storage Humidity	10%~80%RH

10.Unit Dimensions



11.Disclaimer

Due to product configuration and manufacturing process, the actual unit dimensions/weight may vary. Please refer to the physical product.

Product images in this specification are for illustrative purposes only. The actual product (including but not limited to appearance, color, size) may vary slightly. Please refer to the physical product.

To provide accurate specifications as much as possible, the text descriptions, images, etc., in this document may be adjusted and revised in real-time to match the actual product performance and specifications.

No specific notice will be given if such modifications and adjustments are necessary.